

- 3 -

Amendments to the Drawings

The attached sheets of drawings includes replacement sheets for the pages on which Figures 21A, 21B, 21C, 22, 24, 25A, 25B, 26 and 27 previously appeared.

- 4 -

REMARKS

The Examiner finds the amendment filed June 1, 2005 to be non-compliant under 37 CFR 1.121. More specifically, the Examiner objects to certain of the drawings filed with the June 1, 2005 amendment and to the amendments made to the specification at the paragraph running from page 15, lines 10-21.

By today's amendment, the drawings now appear in the order in which they were originally filed; that, is, Figures 21A and 21B appear together on a single sheet. Figures 21C and 22 appear together on a single sheet following the appearance of Figures 21A and 21B. Figures 24 and 27 appear on a single sheet following the appearance of Figure 23. Figures 25A and 25B appear on a single sheet without Figure 24 and this sheet follows the appearance of Figure 24. Figure 26 appears alone on a single sheet following the appearance of Figures 25A and 25B, all as originally filed. And all have been labeled -- REPLACEMENT SHEET -- as required under 37 CFR 1.121(d).

By today's amendment, the paragraph in the specification at page 15, lines 10-21 has been amended throughout to replace the numeral "59" with -- 58 - as requested by the Examiner and to agree with the numerals in Figure 4.

In view of the above, applicant submits that this case is now in condition for allowance. Reexamination and removal of the objections and rejections is requested and allowance of claims 1-7, 18-21 and 26 is solicited.

- 5 -

Respectfully submitted,

HAMBLEY, DAVID et al

By:

John R. Uren  
Regn. No. 27,530

Date: October 10, 2005

John Russell Uren, P. Eng.  
Suite 202 - 1590 Bellevue Avenue  
West Vancouver, British Columbia V7V 1A7  
Canada

Telephone: (604) 922-2997 (West Vancouver, Canada)  
(360) 945-3411 (Washington State)

E-mail: urenpat@telus.net

uspto/response/aw190101v7.wpd